

Personal Style


HOME STYLE



CAMING




EXTERIOR FIXTURES



TEXTURE & PRIVACY

EXPRESSIONS IN GLASS DESIGN



Welcome to our Exterior Door Catalogue

We invite you to use this catalogue to help you choose exactly what is needed to enhance the elegance and beauty of your entrance way.

Your entrance door will be a reflection of your distinct personality and a focal point of your home which will appear hospitable, warm and inviting.

This catalogue will allow you to choose from a wide variety of glass designs, stain or paint colours as well as many other options.

Our decorative glass door inserts are available in a wide selection of designs to suit almost any architectural style. Each door is available with a variety of caming, glass and pre-finish options to allow you to modify it according to your desired specifications.

Table of Contents

CONTEMPORARY COLLECTION



ELEGANCE COLLECTION



MEDIEVAL COLLECTION



MEDIEVAL COLLECTION

PANELS

FIBERGLASS

CLASSIC COLLECTION



CLASSIC COLLECTION

COMMODITIES




HARDWARE

SIZE CHART

OPTIONS



Pg. 33



Standard Sizes

Pg. 34



Paint Colours, Glass & Camings

Back Cover

Paris



2264

764



848

2248



836

2236



2264



2248



2236



764



848



836

Oak Park



848

2248



836

2236



2264

764



2264



2248



2236



764



848



836

Patina



Naples



836

2236



2248

848



764

2236



2264



2248



2236



764



848



836

5

Patina
Zinc



Cachet



2264



848

2248



764

2264



836

2236



Patina

	2264	2248	2236	764	848	836
Patina	●	●	●	●	●	●
Zinc	●	●	●	●	●	●

Jazz



764

2264



848

2248



2264



2248



2236



764



848



836

Brass
Patina
Zinc

•
•
•

•
•
•


•
•
•

•
•
•

•
•
•

•
•
•

Element



2248

848



2210 RT



2236

Georgian

3/4 Oval



2264



718



836

2236



2248

848



2058 OV

764



3/4 Oval



2264



2248



2236



OV



3/4 OVAL



718



764



848



836

Brass
Patina
Zinc

-
-
-
-
-
-
-
-
-

Marquise



2210

3/4 Oval



842 RT



2236

836



2264




2058 OV

764

	2264	2248	2236	OVAL	3/4 OVAL	2210	842RD	764	848	836
Brass	•	•	•	•	•	•	•	•	•	•
Patina	•	•	•	•	•	•	•	•	•	•
Zinc	•	•	•	•	•	•	•	•	•	•

Woodbridge



2210

764

2058 OV



2248

848

2236

836

2264

3/4 Oval



2264



2248



2236



OV



3/4 OVAL



2210



764



848



836

Brass
Patina
Zinc

•
•
•

•
•
•

•
•
•

•
•
•

•
•
•

•
•
•

•
•
•

•
•
•

•
•
•

Northbay



836

2236



848

2248



764



2264

Available in Black Baroque
or Grey Mirror



2264



2248



2236



OVAL



3/4 OVAL



2210



764



848



836

Patina



Venus



2264

764



2058 OV

764



848

2248



2264



2248



OVAL



764



848

Renoir



848

2248

Available in Patina 2264 / 764 / 2248 / 848

Renaissance



Available in 2264 / 764

Embassy



764

2264

Estate



764

2264

Florence



764


2264

Available in 2264 / 764 / 2064 / 2248 / 848

Romano



Available in 2264 / 764



Ruí

Maple



2264

764

Available in Patina / Zinc 2264 / 764 / 2248 / 848 / 2236 / 836

Quattro



848

2248



836

2236



764

2264

Quartz



Quartz
22X17X3

Quattro
764



(Q2)


The Kensington
764



Listral



Chinchilla



Acid



(Q2)



(Q3)



(Q4)

Executive Panel Series




Pallmall
764

EXP-2



Decorative panel, urethane insulation, many models available.

NOTE
Aluminum frame must be used when paint is applied in order to respect the warranty.



High definition decorative panel make sure you get the original

When they were introduced on the market 10 years ago, the EXECUTIVE PANEL series sent a **shockwave in the steel door industry**, and they have become more popular every year since. These **"high definition"** panels, inspired by the mouldings used on traditional wooden doors, can be used with decorative glass panels, in any number of combinations. Our series sidelight joined to an EXECUTIVE DOOR can **add style to any house.**



Oak Park
764

EXP-03



Cachet
764

EXP-02



Westcoast
764

EXP-01

Textured Fiberglass & Stains




Rustic Mahogany
2 Panel Plank



2 panel camber-top
cherry



2 Panel camber-top
plank, cherry



WG-3PA
Available Widths
32", 34", 36"




WG-2EM
Available Widths
32", 34", 36"



WG-8P
Available Widths
34", 36"




WG-CR
Available Widths
34", 36"




WG-F
Available Widths
30", 32", 34", 36"




Rustic Cherry 2 Panel




Walnut




Dark walnut




Golden oak



Red mahogany



Sedona Red



Cherry

Riviera



2236 RT



2236

836



2210



2264

764



2248

848



2264



2248



2236



2210



764



848



836

Brass
Zinc



Clear Beveled



848

2248



2236

836



2264

764



2210



2264



2248



2236



2210



764



848



836

Brass
Patina
Zinc

•
•
•

•
•
•

•
•
•


•
•
•

•
•
•

•
•
•

•
•
•

Westcoast



	2264	2248	2236	2210	718	764	848	836
27	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•

Brass
Patina
Zinc

Obscure



Chinchilla 2264



Rain 2264



Sandblasted Bevelled 2264



Pinhead 2264



Chinchilla



Rain



Pinhead

Available in 2264 / 764 / 2248 / 848 / 2236 / 836

Garden Doors



GD-05V
Venting



GD-03PG
Brass Pencil Grill



GD-06RL
Internal Mini Blinds



GD-02WG
Internal Grill




GD-007BG
Brass Beveled





GD-01C
Clear Glass

Two Panel Factory White or Painted Doors		
SIZE	OPERATOR	DIMENSIONS
5'	Single	59 3/4" X 79 5/8"
5'	Double	59 1/8" X 79 5/8"
6'	Single	71 3/4" X 79 5/8"
6'	Double	71 1/8" X 79 5/8"

HINGE OPTION Viewed From Outside



HINGE OPTION Viewed From Outside



When ordering, please specify your preferred hinge option (see Diagrams).

Raise & Lower Blinds



Long Wearing
Smooth Rollers

Pulley & Lift Spring

Geared Slider with
a friction-free light
pull feature

*patent pending



2248



2236



2264

Raise & Lower Blinds have a grate slider to allow blind operation without undue bending or stretching.

They are protected by a free fall clutch in case of a temporary disengagement of the internal magnet.

1" PULL = 2" LIFT

Commodity ♦ Lites

ONE LITE INSERTS



CQ135-010
2210



CQ108-010
2020



CQ680-010
8X6



CQ136-010
718



CQ105-010
2236 Rd Top



SQ200-010
836 Rd Top



SQ129-010
836



CQ106-010
2036



CQ404-010
2248



SQ450-010
848



CQ410-010
2247 S Top



CQ300-010
Full Oval



SQ152-010
764



CQ120-010
2064



CQ109-010
2264 Rd Top



SQ149-010
864 Rd Top



CQ114-010
1464

EXTERNAL GRILLES



CQ135-05E
2210 5 Lite



CQ133-04E
2310 Sq Sunburst



CQ822-04E
226 4 Lite



CQ105-11E
2236 11 Lite



SQ200-03E
836 3 Lite
Rd Top



CQ106-12E
2236 12 Lite
Rd Top



CQ106-09E
2236 9 Lite



SQ129-03E
836 3 Lite



CQ120-10E
2064 10 Lite

INTERNAL GRILLES



CQ135-05I
2210 5 Lite



CQ105-11I
2236 11 Lite
Rd Top



SQ200-03I
836 3 Lite
Rd Top



CQ106-09I
2236 9 Lite



SQ129-03I
836 3 Lite



SQ12L-03I
833 3 Lite
Semi Camber



CQ107-09I
2237 9 Lite
Camber Top



SQ12R-03I
833 3 Lite
Semi Camber



CQ404-12I
2248 12 Lite



SQ450-4I
848 4 Lite



CQ114-10I
1464 10 Lite



CQ120-10I
2064 10 Lite



SQ152-05I
764 5 Lite



CQ120-15I
2064 15 Lite



CQ109-17I
2064 17 Lite
Rd Top



CQ22L-15I CQ22R-15I
2264 15 Lite Semi Camber

Commodity ♦ Lites



SQ12L-010 833 Semi Camber
 CQ107-010 2237 Camber Top
 SQ12R-010 833 Semi Camber
 CQ304-010 3/4 Oval



CQ22L-010 2264 Semi Camber
 CQ22R-010 2264 Semi Camber




SQ152-05E 764 5 Lite
 CQ120-15E 2064 15 Lite



CQ106-09P Prairie 2236 9 Lite
 SQ129-06P Prairie 836 6 Lite



CQ120-09P Prairie 2064 9 Lite
 SQ152-06P 764 6 Lite



CQ106-Vent 2236
 SQ129-Vent 836
 CQ104-Vent 2248
 CQ120-Vent 2064
 SQ121-Vent 864



CQ106 12 Lite Vent* 2236
 SQ129 4 Lite Vent* 836
 CQ104 12 Lite Vent* 2248
 CQ120 18 Lite Vent* 2064
 SQ151 6 Lite Vent* 864




Stay warmer in the winter and cooler in the summer. A wide range of clear sealed units are available with low E glass. The insulating value of a Low E unit is approximately 25% better than standard clear sealed units.




VENTING INSERTS

STEEL DOOR LINE



FIBERGLASS DOOR LINE



Simply Close the Door

THE DOOR THAT LOCKS ITSELF

Ferco's "Simply Secure" 3-deadbolt locking system activates automatically.

By simply closing the door the upper and lower 3/4" (20mm) latches will instantly engage and become 2 additional deadbolts for maximum security.

Your closed door is always protected against warping.

The door is locked when you simply turn the knob or key, engaging the 1" central deadbolt.

The advantages

- The latch bolts, after closing become 2 additional deadbolts
- The door is prevented from warping since it is always locked
- North American locking function, no lifting handles to engage the locking points
- No confusion, "I can't lock the door"
- Ease of operation, minimal effort required to close and secure the door (elderly, children, and babysitter)
- Peace of mind slam shut multipoint locking systems, with visual indication of locked/unlocked
- 90 degrees turn deadbolt operation
- Proven European technology
- Available for standard height and 8' doors
- Short high grade 16 mm stainless steel faceplate with radius ends for a clean door edge appearance, and weather resistance


* Can only be fitted with Ferco US handle trim sets (Allegro, Capri and Venice)




13 Polished Brass



11 Satin Nickel



25 dark bronze



08 Pewter



04 Antique Brass



33

Allegro








Venice




Capri


ROUGH OPENING DIMENSIONS

DESCRIPTION		ACTUAL UNIT SIZE		REQUIRED ROUGH OPENING SIZE		BRICKMOULD SIZE	
		WIDTH	HEIGHT	WIDTH	HEIGHT	WIDTH	HEIGHT
	30" Prehung	31-1/2"	82-1/4"	32-1/2"	82-3/4"	33-1/2"	83-1/4"
	32" Prehung	33-1/2"	82-1/4"	34-1/2"	82-3/4"	35-1/2"	83-1/4"
	34" Prehung	35-1/2"	82-1/4"	36-1/2"	82-3/4"	37-1/2"	83-1/4"
	36" Prehung	37-1/2"	82-1/4"	38-1/2"	82-3/4"	39-1/2"	83-1/4"
	32"-12" Prehung	47"	82-1/4"	48"	82-3/4"	49"	83-1/4"
	32"-14" Prehung	49"	82-1/4"	50"	82-3/4"	51"	83-1/4"
	34"-12" Prehung	49"	82-1/4"	50"	82-3/4"	51"	83-1/4"
	34"-14" Prehung	51"	82-1/4"	52"	82-3/4"	53"	83-1/4"
	36"-12" Prehung	51"	82-1/4"	52"	82-3/4"	53"	83-1/4"
	36"-14" Prehung	53"	82-1/4"	54"	82-3/4"	55"	83-1/4"
	12"-32"-12" Prehung	60-1/2"	82-1/4"	61-1/2"	82-3/4"	62-1/2"	83-1/4"
	14"-32"-14" Prehung	64-1/2"	82-1/4"	65-1/2"	82-3/4"	66-1/2"	83-1/4"
	12"-34"-12" Prehung	62-1/2"	82-1/4"	63-1/2"	82-3/4"	64-1/2"	83-1/4"
	14"-34"-14" Prehung	66-1/2"	82-1/4"	67-1/2"	82-3/4"	68-1/2"	83-1/4"
	12"-36"-12" Prehung	64-1/2"	82-1/4"	65-1/2"	82-3/4"	66-1/2"	83-1/4"
	14"-36"-14" Prehung	68-1/2"	82-1/4"	69-1/2"	82-3/4"	70-1/2"	83-1/4"
	30"-30" Prehung	62"	82-1/4"	63"	82-3/4"	64"	83-1/4"
	32"-32" Prehung	66"	82-1/4"	67"	82-3/4"	68"	83-1/4"
	34"-34" Prehung	70"	82-1/4"	71"	82-3/4"	72"	83-1/4"
	36"-36" Prehung	74"	82-1/4"	75"	82-3/4"	76"	83-1/4"
	12"-30"-30"-12" Prehung	89"	82-1/4"	90"	82-3/4"	91"	83-1/4"
	12"-32"-32"-12" Prehung	93"	82-1/4"	94"	82-3/4"	95"	83-1/4"
	14"-32"-32"-14" Prehung	97"	82-1/4"	98"	82-3/4"	99"	83-1/4"
	12"-34"-34"-12" Prehung	97"	82-1/4"	98"	82-3/4"	99"	83-1/4"
	14"-34"-34"-14" Prehung	101"	82-1/4"	102"	82-3/4"	103"	83-1/4"
	12"-36"-36"-12" Prehung	101"	82-1/4"	102"	82-3/4"	103"	83-1/4"
	14"-36"-36"-14" Prehung	105"	82-1/4"	106"	82-3/4"	107"	83-1/4"


DOUBLE DOOR & FIX COMBINATION

	SLAB	WIDTH	HEIGHT	RSO WIDTH	RSO HEIGHT	B/M WIDTH	B/M HEIGHT
	Any Combination	28"-28"-28"	87-1/4"	82-1/4"	88-1/4"	82-3/4"	89-1/4"
	30"-30"-30"	93-1/4"	82-1/4"	94-1/4"	82-3/4"	95-1/4"	83-1/4"
	32"-32"-32"	99-1/4"	82-1/4"	100-1/4"	82-3/4"	101-1/4"	83-1/4"
	34"-34"-34"	105-1/4"	82-1/4"	106-1/4"	82-3/4"	107-1/4"	83-1/4"
	36"-36"-36"	111-1/4"	82-1/4"	112-1/4"	82-3/4"	113-1/4"	83-1/4"


SINGLE DOOR & DOUBLE FIX COMBINATION

	SLAB	WIDTH	HEIGHT	RSO WIDTH	RSO HEIGHT	B/M WIDTH	B/M HEIGHT
	Any Combination	28"-28"-28"	88"	82-1/4"	89"	82-3/4"	90"
	30"-30"-30"	94"	82-1/4"	95"	82-3/4"	96"	83-1/4"
	32"-32"-32"	100"	82-1/4"	101"	82-3/4"	102"	83-1/4"
	34"-34"-34"	106"	82-1/4"	107"	82-3/4"	108"	83-1/4"
	36"-36"-36"	112"	82-1/4"	113"	82-3/4"	114"	83-1/4"

DOUBLE DOOR & DOUBLE FIX COMBINATION

	SLAB	WIDTH	HEIGHT	RSO WIDTH	RSO HEIGHT	B/M WIDTH	B/M HEIGHT
	Any Combination	28"-28"-28"-28"	116-1/2"	82-1/4"	117-1/2"	82-3/4"	118-1/2"
	30"-30"-30"-30"	124-1/2"	82-1/4"	125-1/2"	82-3/4"	126-1/2"	83-1/4"
	32"-32"-32"-32"	132-1/2"	82-1/4"	133-1/2"	82-3/4"	134-1/2"	83-1/4"
	34"-34"-34"-34"	140-1/2"	82-1/4"	141-1/2"	82-3/4"	142-1/2"	83-1/4"
	36"-36"-36"-36"	148-1/2"	82-1/4"	149-1/2"	82-3/4"	150-1/2"	83-1/4"

SINGLE DOOR & TRIPLE FIX COMBINATION

	SLAB	WIDTH	HEIGHT	RSO WIDTH	RSO HEIGHT	B/M WIDTH	B/M HEIGHT
	Any Combination	28"-28"-28"-28"	117-1/4"	82-1/4"	118-1/4"	82-3/4"	119-1/4"
	30"-30"-30"-30"	125-1/4"	82-1/4"	126-1/4"	82-3/4"	127-1/4"	83-1/4"
	32"-32"-32"-32"	133-1/4"	82-1/4"	134-1/4"	82-3/4"	135-1/4"	83-1/4"
	34"-34"-34"-34"	141-1/4"	82-1/4"	142-1/4"	82-3/4"	143-1/4"	83-1/4"
	36"-36"-36"-36"	149-1/4"	82-1/4"	150-1/4"	82-3/4"	151-1/4"	83-1/4"